

Benzafix A-B-C

Special pre-spotting agents for textile care in P and F

PROPERTIES:

- Benzafix A for removing fat, grease, all-purpose glue, dispersion paint, colours, glue, button marks, ball-pen, varnish, lipstick, nail polish, shoe polish, tar, ink etc.
- Benzafix B for removing blood, curry, egg yolk, ice-cream, egg white, vomit, galantine, cocoa, ketchup, liqueur, milk, cream, sweat, mustard, sauce, urine etc.
- Benzafix C for removing coffee, berries, coca cola, fruit juice and ice, grass, , red wine, tea etc.

APPLICATION:

- identify kind of stain
- cover the stain with the Benzafix type in question
- not-identified stains should be treated in the order A-B-C
- identified stains can be treated according to the order of our spotting table
- use mechanical action carefully with spotting brush or spatula
- clean the treated textiles after 10 - 20 minutes at the latest
- in the case of using several spotting agents, the previous should be rinsed out with water and pre-dried before applying another spotting agent

On delicate and garments with poor color fastness a hem test is mandatory. Silk and acetate must be treated according postspotting methods. Treating cotton, linen, viscose and woolen articles Benzafix B and Benzafix C should be rinsed out with water and covered with a pre-brushing agent.

TECHNICAL

DATA:

	<i>Benzafix A</i>	<i>Benzapon B</i>	<i>Benzapon C</i>
Density _{20 °C (68 °F)}	0,99	0,97	0,98
pH-value	7.0 - 8.5	9.0 - 10.0	3.0 - 4.0

HINTS:

Storage

The products should be stored protected freezing although the solidified products can be used again after thawing without any loss of quality. Keep containers tightly closed. The product can be stored for at least 24 months in its original sealed packing.

1509

For industrial use only. This information sheet is for guidance only. The data set out here are based on the current status of our knowledge and experience. They do not in any way absolve users of the need to carry out their own checks and tests for suitability of the products for the intended processes and purposes. The data in this information sheet do not represent assurance of properties and stability of the products we are to supply. Subject to technical modifications within reason. The current version of the EU Material Safety Data Sheet must also be observed.